



Celebrating 36 years in the lighting industry!

sunlite®
LED PRODUCTS
2016



ORDER PROCESSING

Our goal is to provide the best experience to our customers, including the very same day shipping on orders received prior to 5pm EST. To ensure the accuracy of your orders, we recommend placing your orders via e-mail (sales@sunlite.com) or fax (718-768-0970). Our hours of operation are from 8:30 AM – 6:00 PM EST.

FREIGHT POLICY

All shipments under \$1200.00 are freight collect. Freight charges will be added to the invoice. Expedited shipping charges (air) can be billed to the customer's account number which must be provided at the time the purchase order is submitted. For Alaska, Hawaii, Puerto Rico and foreign countries including Canada; merchandise will be shipped freight collect FOB Brooklyn NY. All FedEx shipments will incur and additional handling charge per box.

FREIGHT ALLOWANCE

All shipments are FOB Brooklyn NY. Full freight is allowed on orders totaling \$1,000 or more for product delivering east of the Mississippi, and \$1200 for orders delivering west of the Mississippi. Freight charges may be deducted from the invoice total if the relevant invoice is paid within 30 days. The freight allowance EXCLUDES any oversized boxes that are greater than 4 feet (i.e. 4 Foot Fluorescent lamps, or Fixtures)

REFUSED SHIPMENTS

Orders refused in whole or in part will result in a 25% restocking fee in addition to freight charges both ways.

CANCELLATION POLICY

Any order canceled by the customer after being processed and packaged for shipment or customer pick-up is subject to a 10% restocking fee.

Minimum Order

Minimum order of \$100.00 will be processed without a small order fee. Order's less than \$100.00 will incur a handling charge of \$10.00.

Special Orders

Special orders are non-returnable and non-refundable. Once the orders is confirmed, a special order cannot be cancelled. Please take note of items that are a special order.

Damages/Shortages

Claims for Shortage or shipments, must be claimed within 5 days of receipt of the order. We regret we cannot issue credit for merchandise that has been damaged in transit. The responsibility of such damage(s) shall be taken by the carrier.

WARRANTY

Sunshine Lighting, Inc. (Sunlite) warrants most of our LED products for a period of one to five (1-5) years from the date of delivery (specific to the individual product warranty on the packaging or available at www.sunlite.com) provided that said products have been installed and maintained in accordance with Sunlite's installation instructions. This warranty is limited to the repair or replacement of defective material or entire product and shall be determined at the discretion of the manufacturer as to what action is taken.

This warranty is limited to the product specifically and in no means warrants any incurred labor costs by any party involved.

Sunlite extends its warranty to the immediate buyer.

The immediate buyer must receive a Return Material Authorization (RMA) number prior to the return and the return must be visibly marked with the RMA number and the product must be returned (shipping prepaid) to Sunlite at 744 Clinton St. Brooklyn, NY. 11231.

The return must be within 30 days of receiving the RMA from Sunlite.

The warranty is subject to the following provisions:

A liability under this warranty is limited to free repair or replacement (at the manufacturers' discretion) of any operational defect and shall not extend to any other damages in connection to the misuse or mishandling of said product.

The warranty shall not apply to units which have not been handled in accordance with normal conditions of use, or units which have been subsequently processed or modified in any way, or units which have been subject to any damage affecting the overall operation of the Sunlite product.

Sunlite warranties on component parts of materials not manufactured by Sunlite may differ from the terms specified herein and will supersede Sunlite's warranty.

The manufacturers' liability will also not apply in cases where defects are not reported within 30 days after they have become recognizable by the initial buyer or by the users of the product.

***Building and safety codes vary widely throughout the world. Sunlite does not control nor will it be responsible for the selection of product supplied by others, configurations, or the installation of the product in a ceiling, wall or other area. Sunlite makes no other warranties or representation, either expressed or implied, concerning product fitness for a particular purpose. Sunlite will fabricate to dimensions shown on Sunlite supporting documentation but will not take responsibility for failure of submitting party(s) shop drawing dimensions against job site conditions. In no event will Sunlite be liable for direct, indirect, special or consequential damages including but not limited to loss of profit or use. Sunlite reserves the right to inspect or have returned all products alleged to be defective excluding shipping and handling costs. Sunlite makes no other warranty, expressed or implied, regardless of product. ***

! PRICING GOES INTO EFFECT: 06.21.2016
Prices may change without notice. Please contact us for updates.

New York

744 Clinton Str.,
Brooklyn, NY 11231

t: 718.768.7000

f: 718.768.0970

Florida

3698 1/2 NW 16th Str., Bay C
Lauderhill, FL 33311

t: 954.316.6130

f: 954.316.6090

For product inquiries or to place an order, please contact us:

TOLL FREE PHONE: **800.605.BULB**

For general information: info@sunlite.com

Sales Department: sales@sunlite.com

To request a catalog: catalog@sunlite.com

A Type | Household **OMNI** DIRECTIONAL

A19



**40W
EQUIVALENT**

120V | 25,000 HOURS | MEDIUM (E26) BASE | 12/48 PACK |

40W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80100	A19/LED/6W/E/D/27K	470	6
88330	A19/LED/6W/E/D/27K	470	6
88331	A19/LED/6W/E/D/40K	470	6
88332	A19/LED/6W/E/D/50K	470	6

A19



**60W
EQUIVALENT**

120V | 15000 HOURS | MEDIUM (E26) | 12 PACK |

60W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80746	A19/LED/10W/ES/D/27K	800	10
88301	A19/LED/10W/ES/D/30K	800	10
80747	A19/LED/10W/ES/D/40K	800	10
80748	A19/LED/10W/ES/D/50K	800	10

A19



**60W
EQUIVALENT**

120V | 20000 HOURS | MEDIUM (E26) | 12 PACK |

60W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80710	A19/LED/10W/30K	806	10
80735	A19/LED/10W/30K/CARDED	806	10
80736	A19/LED/10W/50K/CARDED	806	10
80737	A19/LED/10W/65K/CARDED	806	10

A19



**75W
EQUIVALENT**

120V | 25000 HOURS | MEDIUM (E26) | 12 PACK |

75W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80740	A19/LED/12W/ES/D/27K	1100	12
80743	A19/LED/12W/ES/D/50K	1100	12
80742	A19/LED/12W/ES/D/65K	1100	12

120V | 25000 HOURS | MEDIUM (E26) | 10 PACK |

75W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88305	A19/LED/12W/ES/D/27K	1100	12
88306	A19/LED/12W/ES/D/30K	1100	12
88307	A19/LED/12W/ES/D/40K	1100	12
88308	A19/LED/12W/ES/D/50K	1100	12
80630	A21/LED/13W/D/ES/27K	1100	13

A21



**100W
EQUIVALENT**

120V | 25000 HOURS | MEDIUM (E26) | 6 PACK |

100W EQUIVALENT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80631	A21/LED/15.5W/D/ES/27K	1600	15.5
80655	A21/LED/15.5W/D/ES/30K	1600	15.5
80656	A21/LED/15.5W/D/ES/50K	1700	15.5

A Type | GU24 Base

A19



NEW

60W
EQUIVALENT

120V | 25,000 HOURS | GU24 BASE | 12/48 PACK |

60W EQUIVALENT					
ITEM#	DESCRIPTION	LUMENS	WATTAGE		
88320	A19/GU24/LED/10W/D/27K	800	10		

A15 Appliance

A15



120V | 25,000 HOURS | MEDIUM (E26) BASE | 6/24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE		
80177	A15/LED/5W/D/FR/30K/CD	300	5		
80134	A15/LED/5W/D/CL/30K/CD	300	5		

120V | 25,000 HOURS | EUROPEAN (E14) BASE | 12/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE		
80157	A15/LED/4.5W/E14/D/FR/30K/CD	320	4.5		

Globe | G25

G25

NEW



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE		
80671	G25/LED/7W/D/CL/ES/27K	500	7		
80672	G25/LED/7W/D/FR/ES/27K	500	7		
80353	G25/LED/8W/D/ES/30K	500	8		

120V | 25000 HOURS | CANDELABRA (E12) | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE		
80409	G16.5/LED/5W/D/E12/CL/ES/27K	350	5		
80544	G16.5/LED/7W/D/E12/CL/ES/27K/CD	500	7		
80651	G16.5/LED/5W/D/E12/FR/ES/27K	350	5		
80545	G16.5/LED/7W/D/E12/FR/ES/27K/CD	500	7		

G16.5



120V | 25000 HOURS | MEDIUM (E26) | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE		
80518	G16/LED/5W/E26/D/CL/E/27K	350	5		
80548	G16/LED/7W/D/E26/CL/ES/27K/CD	500	7		
80394	G16/LED/5W/E26/D/FR/ES/27K	350	5		
80549	G16/LED/7W/D/E26/FR/ES/27K/CD	500	7		

G16



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Decorative | Carded pack

Chandelier

300LM = 40W EQUIVALENT

500LM = 60W EQUIVALENT

120V | 25000 HOURS | CANDELABRA (E12) | 6 PACK |

TORPEDO

☐		ITEM# 80770	DESCRIPTION CTC/LED/5W/E12/CL/D/ES/27K	LUMENS 300	WATTAGE 5
☐		ITEM# 80774	DESCRIPTION CTC/LED/7W/E12/CL/D/ES/27K	LUMENS 500	WATTAGE 7
☐		ITEM# 80771	DESCRIPTION CTF/LED/5W/E12/FR/D/ES/27K	LUMENS 300	WATTAGE 5
☐		ITEM# 80405	DESCRIPTION CTF/LED/7W/E12/FR/D/ES/27K	LUMENS 500	WATTAGE 7

FLAME

☐		ITEM# 80417	DESCRIPTION CFC/LED/4.5W/E12/CL/D/ES/27K	LUMENS 300	WATTAGE 4.5
☐		ITEM# 80772	DESCRIPTION CFC/LED/5W/E12/CL/D/ES/27K	LUMENS 300	WATTAGE 5
☐		ITEM# 80776	DESCRIPTION CFC/LED/7W/E12/CL/D/ES/27K	LUMENS 500	WATTAGE 7
☐		ITEM# 80424	DESCRIPTION CFF/LED/7W/E12/FR/D/ES/27K	LUMENS 500	WATTAGE 7
☐		ITEM# 80773	DESCRIPTION CFF/LED/5W/E12/FR/D/ES/27K	LUMENS 300	WATTAGE 5

120V | 25000 HOURS | MEDIUM (E26) | 6 PACK |

TORPEDO

☐		ITEM# 80780	DESCRIPTION ETC/LED/5W/E26/CL/D/ES/27K	LUMENS 300	WATTAGE 5
☐		ITEM# 80790	DESCRIPTION ETC/LED/7W/E26/CL/D/ES/27K	LUMENS 500	WATTAGE 7
☐		ITEM# 80343	DESCRIPTION ETF/LED/4.5W/E26/D/E/FR/27K	LUMENS 300	WATTAGE 4.5

FLAME

☐		ITEM# 80479	DESCRIPTION EFC/LED/5W/E26/CL/D/ES/27K	LUMENS 300	WATTAGE 5
☐		ITEM# 80784	DESCRIPTION EFC/LED/7W/E26/CL/D/ES/27K	LUMENS 500	WATTAGE 7
☐		ITEM# 80477	DESCRIPTION EFF/LED/7W/E26/FR/D/ES/27K	LUMENS 500	WATTAGE 7

SPECIAL OFFER!

FREE DISPLAY WITH POWER METER

with \$500 purchase of LED light bulbs

Display item #99920-CMP

Display has a Wattage meter and the following bases:
G24Q | 3x Medium E26 | Candelabra E12 | GU10

Suggested bulbs:

PLD G24Q | PAR38 | BR30 | A19 | Flame tip | PAR16 GU10

While supply lasts. Limited ONE DISPLAY PER CUSTOMER.



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

GU10 Mini Reflector

PAR16



COB | 120V | 25,000 HOURS | GU10 BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80300	PAR16/LED/7W/FL38/GU10/ES/D/27K	500	7

PAR16



120V | 25,000 HOURS | GU10 BASE | 12/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80104	PAR16/LED/6.5W/FL38/GU10/ES/D/27K	500	6.5
80249	MRX16/LED/6.5W/GU10/FL35/D/ES/30K	500	6.5
80101	PAR16/LED/6.5W/FL35/GU10/D/40K	500	6.5
80102	PAR16/LED/6.5W/FL35/GU10/D/50K	500	6.5
80103	PAR16/LED/6.5W/FL35/GU10/D/65K	500	6.5
80306	PAR16/LED/6W/GU10/D/40K/220V ⚡	500	6

MR16 Mini Reflector | HO Series

MR16



12V | 25,000 HOURS | GU5.3 BASE | 12/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80081	MR16/LED/7W/FL35/D/ES/27K	500	7
80072	MR16/LED/7W/FL35/D/ES/30K	500	7
80082	MR16/LED/7W/FL35/D/ES/40K	500	7

MR16 | CARDED PACK



COB | 12V | 25,000 HOURS | GU5.3 BASE | 12/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80090	MR16/LED/7W/FL35/D/ES/27K/CD	450	7

MR16 Mini Reflector | ECO 120V

MR16



COB | 120V | 30,000 HOURS | 12/120 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80096	MR16/60LED/2.2W/GU5.3/WW/120V	180	2.2
80097	MR16/60LED/2.2W/GU5.3/W/120V	220	2.2

MR16 | CRI95 High Efficiency Series

NEW



COB | 12V | CRI 95 | 25000 HOURS | GU5.3 | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80503	MR16/LED/COB/7W/FL35/D/CRI95/27K	450	7
80504	MR16/LED/COB/7W/FL35/D/CRI95/30K	450	7

MR11 Mini Reflector

MR11



12V | 40,000 HOURS | BI-PIN (GU4) BASE | 200 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
81000	3MR11/LED/27K/15D	120	3

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

PAR | High Efficiency Series

PAR16



120V | 25,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80110	PAR16/LED/6.5W/FL38/D/ES/30K	500	6.5

PAR20



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12/24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80018	PAR20/LED/6W/FL38/D/ES/27K	380	6
80009	PAR20/LED/7.5W/FL40/D/ES/30K	400	7.5
80038	PAR20/LED/7.5W/FL40/D/ES/40K	400	7.5

PAR30



SHORT NECK



LONG NECK

SHORT NECK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89023	PAR30/LED/10.5W/SH/FL40/D/ES/27K	600	10.5
89024	PAR30/LED/10.5WSH/FL40/D/ES/30K	600	10.5
89025	PAR30/LED/10.5W/SH/FL40/D/ES/40K	600	10.5
89237	PAR30/LED/10.5W/SHORT/FL40/D/50K	600	10.5

LONG NECK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89230	PAR30LN/LED/13.5W/FL40/D/ES/27K	750	13.5
89231	PAR30LN/LED/13.5W/FL40/D/ES/30K	750	13.5
89232	PAR30LN/LED/13.5W/FL40/D/ES/40K	750	13.5
89233	PAR30LN/LED/13.5W/FL40/D/ES/50K	750	13.5

PAR38



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80047	PAR38/LED/17.5W/FL40/D/ES/27K	1050	17.5
89017	PAR38/LED/17.5W/FL40/D/ES/30K	1050	17.5
80049	PAR38/LED/17.5W/FL40/D/ES/40K	1050	17.5
80048	PAR38/LED/17.5W/FL40/D/ES/50K	1050	17.5
80054	PAR38/LED/17.5W/FL40/D/60K	1050	17.5

BR30 | High Lumen



120V | 30000 HOURS | MEDIUM (E26) BASE | 6/12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89010	BR30/LED/14W/D/30K	900	14



LED
FLASHLIGHTS &
PUCK LIGHTS
Call for prices

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

PAR | 90 CRI Series

PAR30



120V | CRI 90 | 40,000 HOURS | MEDIUM (E26) BASE | 6/24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88048	PAR30/LED/10W/FL40/D/ES/90/27K	750	10
88049	PAR30/LED/10W/FL40/D/ES/90/30K	800	10

PAR30 LONG NECK



ITEM#	DESCRIPTION	LUMENS	WATTAGE
89008	PAR30LN/LED/10W/FL40/D/ES/90/30K	800	10

PAR38



ITEM#	DESCRIPTION	LUMENS	WATTAGE
88082	PAR38/LED/17W/FL40/D/ES/90/27K	1150	17
88083	PAR38/LED/17W/FL40/D/ES/90/30K	1200	17

MULTIVOLT 120/277V

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89094	PAR38/LED/19W/FL40/ES/90/MV/27K	1150	19



PARs | Outdoor Reflectors

PAR20



COB | 120V | 40,000 HOURS | MEDIUM (E26) BASE | 6/12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88099	PAR20/LED/8W/NFL25/D/ES/30K	470	8

PAR30 LONG NECK



LONG NECK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88053	PAR30L/LED/14W/FL40/D/ES/27K	800	14
88057	PAR30L/LED/14W/FL40/D/ES/30K	800	14

PAR30 SHORT NECK



SHORT NECK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88054	PAR30/LED/14.5W/FL40/D/ES/27K	800	14.5
80384	PAR30/LED/15W/FL40/D/ES/30K	750	15

PAR38



Waterproof

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88063	PAR38/LED/19W/FL40/D/ES/27K	1000	19

BR | Reflector

R14



120V | 25,000 HOURS | MEDIUM (E26) BASE | 6/24 PACK |

*   	ITEM# 80431	DESCRIPTION R14/LED/E26/4W/D/27K	LUMENS 250	WATTAGE 4
*   	ITEM# 80430	DESCRIPTION R14/LED/N/E17/4W/D/27K	LUMENS 250	WATTAGE 4

R20



  	ITEM# 80051	DESCRIPTION R20/LED/8W/D/ES/27K	LUMENS 550	WATTAGE 8
  	ITEM# 80052	DESCRIPTION R20/LED/8W/D/ES/30K	LUMENS 550	WATTAGE 8
  	ITEM# 80053	DESCRIPTION R20/LED/8W/D/ES/40K	LUMENS 580	WATTAGE 8

BR30




  	ITEM# 89223	DESCRIPTION BR30/LED/12W/D/ES/27K	LUMENS 750	WATTAGE 12
  	ITEM# 89224	DESCRIPTION BR30/LED/12W/D/ES/30K	LUMENS 750	WATTAGE 12
  	ITEM# 89022	DESCRIPTION BR30/LED/12W/D/ES/40K	LUMENS 820	WATTAGE 12
 	ITEM# 89032	DESCRIPTION BR30/LED/12W/D/65K	LUMENS 750	WATTAGE 12

BR40



  	ITEM# 88064	DESCRIPTION BR40/LED/14W/D/ES/27K	LUMENS 950	WATTAGE 14
  	ITEM# 88070	DESCRIPTION BR40/LED/14W/D/ES/30K	LUMENS 950	WATTAGE 14
  	ITEM# 89026	DESCRIPTION BR40/LED/14W/D/ES/40K	LUMENS 1060	WATTAGE 14
 	ITEM# 89035	DESCRIPTION BR40/LED/14W/D/50K	LUMENS 1060	WATTAGE 14
 	ITEM# 89037	DESCRIPTION BR40/LED/14W/D/65K	LUMENS 1060	WATTAGE 14

* Available in July, 2016



LED DOWNLIGHTS

REMODEL/ NEW CONSTRUCTION









MKS

advanced LED™

MKSLED.COM

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Hospitality Series | 1600K-3000K Dimming Range

Color temperature changes with brightness

A19



BR20



BR30



BR40



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

A19							
ITEM#	DESCRIPTION	LUMENS	WATTAGE	PACK			
80500	A19/LED/8W/D/WD/30-16K	700	8	12			
BR20							
ITEM#	DESCRIPTION	LUMENS	WATTAGE	PACK			
80505	BR20/LED/8W/D/WD/30-16K	650	8	6			
BR30							
ITEM#	DESCRIPTION	LUMENS	WATTAGE	PACK			
80510	BR30/LED/12W/D/WD/30-16K	1000	12	6			
BR40							
ITEM#	DESCRIPTION	LUMENS	WATTAGE	PACK			
80515	BR40/LED/20W/D/WD/30-16K	1600	20	6			



UFO Series Reflectors Coming Soon



NEW



Matching UL Listed pendants available.

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

S14 Colored

S14



120V | 30,000 HOURS | MEDIUM (E26) BASE | 20/200 PACK |

ITEM#	DESCRIPTION	WATTAGE
80361	S14/30LED/MED/CLEAR	0.9
80362	S14/30LED/MED/BLUE	0.9
80363	S14/30LED/MED/GREEN	0.9
80364	S14/30LED/MED/RED	0.9
80365	S14/30LED/MED/YELLOW	0.9
80366	S14/30LED/MED/AMBER	1.7
80333	S14/LED/2W/CLEAR/WW	2

MR16 Colored Mini Reflector



Remote controllable

12V | 50,000 HOURS | BI-PIN BASE | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80231	MR16/LED/5W/RGB/12V	5

T10 | Tubular Indicator

120V | 30000 HOURS | CANDELABRA (E12) | 10 PACK |



ITEM#	DESCRIPTION	WATTAGE
80256	T10/LED/0.5W/C/B	0.5
80268	T10/LED/0.5W/C/G	0.5
80269	T10/LED/0.5W/C/R	0.5
80272	T10/LED/0.5W/C/Y	0.5

120V | 30000 HOURS | MEDIUM (E26) | 10 PACK |



ITEM#	DESCRIPTION	WATTAGE
80251	T10/LED/1W/B	1
80252	T10/LED/1W/G	1
80253	T10/LED/1W/R	1
80255	T10/LED/1W/Y	1

Colored Series

JDR



120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
 80195	JDR/LED/2.8W/B	2.8
 80196	JDR/LED/2.8W/G	2.8
 80198	JDR/LED/2.8W/Y	2.8
 80197	JDR/LED/2.8W/R	2.8
 80194	JDR/60LED/2.8W/W	2.8

MR16 | GU5.3 Base



12V | 30000 HOURS | GU5.3 | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
 80305	MR16/LED/2W/GU5.3/12V/B	2
 80308	MR16/LED/2W/GU5.3/12V/G	2
 80317	MR16/LED/2W/GU5.3/12V/Y	2
 80309	MR16/LED/2W/GU5.3/12V/R	2

MR16 | GU10 Base



120V | 30000 HOURS | GU10 | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
 80326	MR16/LED/2.8W/GU10/B	2.8
 80327	MR16/LED/2.8W/GU10/G	2.8
 80329	MR16/LED/2.8W/GU10/Y	2.8
 80328	MR16/LED/2.8W/GU10/R	2.8

UV Series | Blacklights

A19 | 365 NM



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

ITEM#	DESCRIPTION	WAVE LENGTH	WATTAGE
 80114	A19/LED/2W/BLB	365nm	2



Blinking Light

A19 | BLINKING LIGHT



120V | 25,000 HOURS | MEDIUM (E26) BASE | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80204	A19/LED/5W/BL/WW	500	5

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Colored A-Type

A19 | Carded Pack

120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |



ITEM#	DESCRIPTION	WATTAGE
 80145	A19/3W/B/LED/CD1	3
 80146	A19/3W/G/LED/CD1	3
 80147	A19/3W/O/LED/CD1	3
 80148	A19/3W/R/LED/CD1	3
 80149	A19/3W/Y/LED/CD1	3
 80168	A19/3W/P/LED/CD1	3



The Wildlife Lighting Certification Program is a cooperative effort between the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service designed to educate the members of the public, the building industry, and government officials how to minimize adverse impacts to wildlife by using proper lighting methods.

Each year, thousands of sea turtle species hatchlings become disoriented and up to 80 percent die because of light pollution, according to the Florida Fish & Wildlife Conservation Commission. The lighting is designed to minimize the impacts of exterior lighting on nesting sea turtles and their hatchlings.

G21

Color Changing



7 Colors



120V | 30000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	WATTAGE
80261	G21/LED/1.5W/RGB	1.5

C7 & C9 Colored Night Lights

C7

120V | 50,000 HOURS | CANDELABRA (E12) BASE | 20 PACK |



ITEM#	DESCRIPTION	WATTAGE
 80700	L3C7/LED/B/6PK	0.4
 80701	L3C7/LED/G/6PK	0.4
 80702	L3C7/LED/R/6PK	0.4
 80703	L3C7/LED/W/6PK	0.4
 80704	L3C7/LED/Y/6PK	0.4

C9

120V | 50,000 HOURS | INTERMEDIATE (E17) BASE | 20 PACK |



ITEM#	DESCRIPTION	WATTAGE
 80705	L3C9/LED/B/6PK	0.4
 80706	L3C9/LED/G/6PK	0.4
 80707	L3C9/LED/R/6PK	0.4
 80708	L3C9/LED/W/6PK	0.4
 80709	L3C9/LED/Y/6PK	0.4

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Colored Pars

PAR20



120V | 30,000 HOURS | MEDIUM (E26) BASE | 12/24 PACK |

	ITEM# 80003	DESCRIPTION PAR20/LED/2W/R	WATTAGE 2
	ITEM# 80010	DESCRIPTION PAR20/LED/2W/A	WATTAGE 2
	ITEM# 80005	DESCRIPTION PAR20/LED/4W/Y	WATTAGE 4
	ITEM# 80001	DESCRIPTION PAR20/LED/3W/B	WATTAGE 3
	ITEM# 80002	DESCRIPTION PAR20/LED/3W/G	WATTAGE 3

PAR30



120V | 30,000 HOURS | MEDIUM (E26) BASE | 12/24 PACK |

	ITEM# 80023	DESCRIPTION PAR30/LED/3W/R	WATTAGE 3
	ITEM# 80033	DESCRIPTION PAR30/LED/3W/A	WATTAGE 3
	ITEM# 80025	DESCRIPTION PAR30/LED/3W/Y	WATTAGE 3
	ITEM# 80021	DESCRIPTION PAR30/LED/4W/B	WATTAGE 4
	ITEM# 80022	DESCRIPTION PAR30/LED/4W/G	WATTAGE 5

PAR38



120V | 30,000 HOURS | MEDIUM (E26) BASE | 6/12 PACK |

	ITEM# 80043	DESCRIPTION PAR38/LED/4W/R	WATTAGE 4
	ITEM# 80068	DESCRIPTION PAR38/LED/4W/A	WATTAGE 4
	ITEM# 80045	DESCRIPTION PAR38/LED/4W/Y	WATTAGE 4
	ITEM# 80041	DESCRIPTION PAR38/LED/6W/B	WATTAGE 6
	ITEM# 80042	DESCRIPTION PAR38/LED/6W/G	WATTAGE 6

Outdoor Colored Pars

PAR38



120V | 25,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

	ITEM# 80550	DESCRIPTION PAR38/LED/8W/FL35/B	WATTAGE 8
	ITEM# 80552	DESCRIPTION PAR38/LED/8W/FL35/G	WATTAGE 8
	ITEM# 80554	DESCRIPTION PAR38/LED/8W/FL35/O	WATTAGE 8
	ITEM# 80556	DESCRIPTION PAR38/LED/8W/FL35/R	WATTAGE 8
	ITEM# 80558	DESCRIPTION PAR38/LED/8W/FL35/Y	WATTAGE 8



The Wildlife Lighting Certification Program is a cooperative effort between the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service designed to educate the members of the public, the building industry, and government officials how to minimize adverse impacts to wildlife by using proper lighting methods.

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

LED Filament | A19

A19



120V | 15,000 HOURS | MEDIUM (E26) BASE |

ITEM#	DESCRIPTION	24 PACK	LUMENS	WATTAGE
80455	A19/LED/AQ/5W/D/CL/22K		450	5
80456	A19/LED/AQ/6W/D/CL/22K		660	6
80189	A19/LED/AQ/6W/D/CL/27K		560	6

120V | 20,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80497	A19/LED/AQ/SILVERBOWL/6W/D/CL/22K	500	6

LED Filament | Chandelier

120V | 15,000 HOURS | CANDELABRA (E12) BASE | 24/96 PACK |



TORPEDO | CTC FLAME | CFC


TORPEDO				
ITEM#	DESCRIPTION	LUMENS	WATTAGE	
80635	CTC/LED/AQ/4W/E12/D/CL/27K	400	4	
80632	CTC/LED/AQ/4W/E12/D/CL/27K/CD2	400	4	
80446	CTC/LED/AQ/4W/E12/D/CL/18K/CD2	250	4	
80445	CTC/LED/AQ/5W/E12/D/CL/27K 220-277V	500	5	
80636	CTC/LED/AQ/6W/E12/D/CL/27K NEW	600	6	

2Pack

FLAME				
ITEM#	DESCRIPTION	LUMENS	WATTAGE	
80634	CFC/LED/AQ/4W/E12/D/CL/27K	400	4	
80633	CFC/LED/AQ/4W/E12/D/CL/27K/CD2	400	4	
80447	CFC/LED/AQ/4W/E12/D/CL/18K/CD2	250	4	
80639	CFC/LED/AQ/6W/E12/D/CL/27K NEW	600	6	

2Pack

120V | 15,000 HOURS | MEDIUM (E26) BASE | 24/96 PACK |



TORPEDO | ETC FLAME | EFC

TORPEDO				
ITEM#	DESCRIPTION	LUMENS	WATTAGE	
80448	ETC/LED/AQ/4W/E26/D/CL/18K/CD2	250	4	
80428	ETC/LED/AQ/4W/E26/D/CL/27K/CD2	350	4	
80420	ETC/LED/AQ/6W/E26/D/CL/27K	600	6	
FLAME				
ITEM#	DESCRIPTION	LUMENS	WATTAGE	
80449	EFC/LED/AQ/4W/E26/D/CL/18K/CD2	250	4	
80429	EFC/LED/AQ/4W/E26/D/CL/27K/CD2	350	4	

2Pack

2Pack

2Pack

LED Filament | Globes

G16




120V | 20,000 HOURS | MEDIUM (E26) BASE | 12 PACK |




ITEM# 80454
DESCRIPTION G16/LED/AQ/3W/D/CL/22K

LUMENS 270
WATTAGE 3

G25



120V | 15,000 HOURS | MEDIUM (E26) BASE | 12 PACK |



ITEM# 80464
DESCRIPTION G25/LED/AQ/4W/D/CL/22K


LUMENS 300
WATTAGE 4



ITEM# 80465
DESCRIPTION G25/LED/AQ/6W/D/CL/22K/LONG

LUMENS 600
WATTAGE 6

G30



120V | 15,000 HOURS | MEDIUM (E26) BASE | 6 PACK |



ITEM# 80450
DESCRIPTION G30/LED/AQ/6W/D/CL/22K

LUMENS 420
WATTAGE 6



ITEM# 80451
DESCRIPTION G30/LED/AQ/6W/D/CL/22K/L

LUMENS 560
WATTAGE 6



ITEM# 80600
DESCRIPTION G30/LED/AQ/8W/CL/22K/L

LUMENS 650
WATTAGE 8

G40



120V | 20,000 HOURS | MEDIUM (E26) BASE | 6 PACK |



ITEM# 80463
DESCRIPTION G40/LED/AQ/6W/D/CL/22K/LONG

LUMENS 600
WATTAGE 6



ITEM# 80467
DESCRIPTION G40/LED/AQ/8W/D/CL/22K/LONG

LUMENS 600
WATTAGE 8

ANTIQUE FIXTURES
COLLECTION



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

LED Filament

S11



120V | 15,000 HOURS | MEDIUM (E26) BASE | 24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80462	S11/LED/AQ/3W/D/CL/22K	240	3

S19



120V | 15,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80460	S19/LED/AQ/3W/D/CL/22K	240	3
80150	S19/LED/AQ/4W/D/CL/27K	350	4
80461	S19/LED/AQ/6W/D/CL/22K/LONG	480	6
80602	S19/LED/AQ/8W/CL/22K/LONG	600	8
80466	S19/LED/AQ/8W/D/CL/22K/LONG	600	8

LED Filament | Decorative Collection



120V | 25,000 HOURS | CRI 90 | MEDIUM (E26) BASE | 12 PACK |

DIAMOND

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80469	DIAMOND/LED/AQ/6W/D/CL/22K	480	6

FLAT DIAMOND

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80459	FLDIAM/LED/AQ/6W/D/AMBER/22K	450	6



120V | 25,000 HOURS | MEDIUM-MOGUL (E39) BASE | 1 PACK |

G48

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80484	G48/LED/SGL/AQ/12W/D/22K/MOG	750	10

CHIMNEY

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80485	CHIMNEY/LED/AQ/12W/D/22K	750	10

Medium-Mogul (E39) base
Adaptor included

G48

CHIMNEY

LU



120V | 25,000 HOURS | MEDIUM (E26) | 10 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80616	LU/LED/AQ/6W/CL/22K	430	6


sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

LED Filament | Tubular

Tubular | T8



120V | 15,000 HOURS | CANDELABRA (E12) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80457	T8/LED/AQ/2W/D/CL/22K	150	2



120V | 15,000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80489	T8/LED/AQ/5W/D/CL/22K	450	5


Tubular | T10



120V | 15,000 HOURS | MEDIUM (E26) | 24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80610	T10/LED/AQ/2W/22K/CL	200	2


ITEM#	DESCRIPTION	LUMENS	WATTAGE
80612	T10/LED/AQ/5W/22K/CL	380	6



120V | 25,000 HOURS | MEDIUM (E26) | 24 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80614	T10/LED/AQ/6W/22K/CL	450	6

Tubular | T12



120V | 15,000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80458	T12/LED/AQ/3W/D/CL/22K	240	3



120V | 15,000 HOURS | MEDIUM (E26) | 12 PACK |


ITEM#	DESCRIPTION	LUMENS	WATTAGE
80488	T12/LED/AQ/6W/D/CL/22K/X	540	6

Tubular | T14



120V | 15,000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80606	T14/LED/AQ/6W/22K/AMBER	400	6



120V | 15,000 HOURS | MEDIUM (E26) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80608	T14/LED/AQ/6W/22K/AMBER	400	6



sunlite

Antique Series

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

LED Star Filament | *Decorative Collection*

CHANDELIER



120V | 20,000 HOURS | CANDELABRA (E12) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80129	CTC/LED/SF/1W/CL/23K	120	1

A19



120V | 20,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80127	A19/LED/SF/1.8W/CL/23K	120	1.8

GLOBES

120V | 20,000 HOURS | MEDIUM (E26) BASE | 6 PACK |



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80139	G25/LED/SF/1.8W/CL/23K	120	1.8
80153	G30/LED/SF/1.8W/CL/23K	120	1.8
80154	G40/LED/SF/1.8W/CL/23K	120	1.8

S19




120V | 20,000 HOURS | MEDIUM (E26) BASE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80128	S19/LED/SF/1.8W/CL/23K	120	1.8

T10

120V | 20000 HOURS | MEDIUM (E26) | 24 PACK |



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80622	T10/LED/SF/1.5W/CL/23K	100	1.5
80624	T10/LED/SF/2.4W/CL/23K	140	2.4
80626	T10/LED/SF/3W/CL/23K	190	3



Elevator

1383

GBF



12V | CRI 90 | 30,000 HOURS | SINGLE CONTACT BAYONET (BA15S) BASE | 50 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
1383	80307 1383/1LED/3W/SC/12V/WW	120	3

12V | 30,000 HOURS | DOUBLE CONTACT BAYONET (BA15D) BASE | 50 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
GBF	80375 GBF/1LED/1.7W/DC/WW	95	1.7

AR111 Reflector

AR111



12V | 40,000 HOURS | G53 BI-PIN BASE | 6/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
81010	AR111/6LED/12W/WW/FL	620	12

ITEM#	DESCRIPTION	LUMENS	WATTAGE
81011	AR111/LED/10W/30K/FL/38D	950	10

G4 Bi-Pin

BI-PIN



12V | 30,000 HOURS | BI-PIN (G4) BASE | 12/48 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80802	G4/LED/2.5W/12V/WW/CD	200	2.5

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80807	G4/LED/2.5W/12V/W/CD	220	2.5

G9 BI-PIN



120V | 30,000 HOURS | BI-PIN (G9) BASE | 10/30 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80817	G9/LED/2.5W/WW	200	2.5

120V | 30,000 HOURS | BI-PIN (G9) BASE | 10/40 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80815	G9/21LED/3W/WW/120V	300	3

G9 BI-PIN



Bi Pin

Bi Pin | Single Ended



120V | 25000 HOURS | BI-PIN (G9) | 10 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80865	G9/LED/1.6W/CL/120V/D/30K/CD	170-200	1.6

12V | 25000 HOURS | BI-PIN (G4) | 10 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80861	G4/LED/1.5W/CL/12V/D/30K/CD	170-200	1.5

Plug & Play

PLD | G24Q BASE



5
year warranty



120-277V | 50000 HOURS | G24Q & GX24Q BASE | 12 PACK |

PLD | Ballast Dependable to work with 13W, 18W, 26W ballast

ITEM#	DESCRIPTION	MOL/IN	LUMENS	WATTAGE
88260	PLD/LED/7W/IS/30K	5.8	700	7
88264	PLD/LED/7W/IS/40K	5.8	900	7
88268	PLD/LED/9W/IS/30K	6.6	900	9
88272	PLD/LED/9W/IS/40K	6.6	900	9
88274	PLD/LED/9W/IS/50K	6.6	900	9

PLD | Bypass

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88284	PLD/LED/7W/BP/30K	700	7
88288	PLD/LED/7W/BP/40K	700	7
88290	PLD/LED/7W/BP/50K	700	7
88292	PLD/LED/9W/BP/30K	900	9.5
88296	PLD/LED/9W/BP/40K	900	9.5

PLD



5
year warranty



90-265V | 40,000 HOURS | 5 PACK |

PLD | Bypass

PLD 2-PIN | G24 BASE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
81043	PLD/LED/10W/27K	760	10
81044	PLD/LED/10W/60K	760	10

PLD 4-PIN | G24Q BASE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
81030	PLD/LED/7W/E/27K	620	7

PLV | VERTICAL



5
year warranty



MULTIVOLT | 50,000 HOURS | G24Q & GX24Q BASE | 12 PACK |

PLV | Ballast Dependable to work with 13W, 18W, 26W ballast

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88211	PLV/E/LED/9W/IS/35K	900	9
88212	PLV/E/LED/9W/IS/40K	900	9

Linstra

S14S BASE



120V | 30,000 HOURS | S14S BASE | 12 PACK |

REPLACES LN60

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53150	LN/LED/8W/D/27K	660	8

REPLACES LN150

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53155	LN/LED/16W/D/27K	1300	16

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

T5 Straight Tube | Plug & Play

GLASS TUBE



5
year warranty

HIGH OUTPUT (HO) BALLAST | 50000 HOURS | G5 | 10 PACK |



NEW



4'

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88226	T5/LED/4'/25W/IS/DLC/30K	3200	25
88228	T5/LED/4'/25W/IS/DLC/40K	3200	25
88230	T5/LED/4'/25W/IS/DLC/50K	3200	25
88232	T5/LED/4'/25W/IS/DLC/65K	3200	25

T8 Straight Tube | Plug & Play *INSTANT START BALLAST REQUIRED*

GLASS TUBE



5
year warranty

120-277V | 50,000 HOURS | MEDIUM BI-PIN (G13) BASE | 10 PACK |



2' | 9W

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88076	T8/LED/2'/9W/IS/DLC/30K	1150	9
88077	T8/LED/2'/9W/IS/DLC/40K	1150	9
88078	T8/LED/2'/9W/IS/DLC/50K	1150	9
88079	T8/LED/2'/9W/IS/65K	1150	9

3' | 11W

ITEM#	DESCRIPTION	LUMENS	WATTAGE
87960	T8/LED/3'/11W/IS/30K	1450	11
87962	T8/LED/3'/11W/IS/40K	1450	11

4' | 12W

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88090	T8/LED/4'/12W/IS/DLC/30K	1800	12
88091	T8/LED/4'/12W/IS/DLC/40K	1800	12
88092	T8/LED/4'/12W/IS/DLC/50K	1800	12

4' | 14W

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88072	T8/LED/4'/14W/IS/DLC/30K	1800	14
88073	T8/LED/4'/14W/IS/DLC/40K	1800	14
88074	T8/LED/4'/14W/IS/DLC/50K	1800	14
88075	T8/LED/4'/14W/IS/65K	1800	14

4' | 17W

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88085	T8/LED/4'/17W/IS/DLC/30K	2200	17
88086	T8/LED/4'/17W/IS/DLC/40K	2200	17
88087	T8/LED/4'/17W/IS/DLC/50K	2200	17
88088	T8/LED/4'/17W/IS/65K	2200	17

T8 | Plug & Play | **Shatterproof** INSTANT START BALLAST REQUIRED

T8 TUBES



LINE VOLTAGE | 50,000 HOURS | MEDIUM BI-PIN (G13) BASE | 10 PACK |



5
year warranty

Several industries are required to have protective lighting by federal and state regulatory agencies; along with hotels, parking garages, sports facilities, hospitals, warehouses, retailers, food service industry etc.

4'

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88181	T8/LED/4'/14W/IS/DLC/30K	1800	14
88183	T8/LED/4'/14W/IS/DLC/40K	1800	14
88191	T8/LED/4'/17W/IS/DLC/30K	2200	17
88193	T8/LED/4'/17W/IS/DLC/40K	2200	17

T8 | Plug and Play

T8 | FA8 BASE



BALLAST COMPATIBLE | 50000 HOURS | SINGLE PIN (FA8) | 10 PACK |

8'

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88240	T8/LED/8'/33W/IS/40K	4400	33
88241	T8/LED/8'/33W/IS/65K	4400	33
HO			
88245	T8/LED/8'/42W/IS/40K/HO	5500	42

T8-U | Plug & Play INSTANT START BALLAST REQUIRED



LINE VOLTAGE | 50,000 HOURS | MEDIUM BI-PIN (G13) BASE | 10 PACK |



U shape tube

ITEM#	DESCRIPTION	LUMENS	WATTAGE
87900	T8/LED/U/12W/IS/30K	1800	12
87905	T8/LED/U/12W/IS/40K	1800	12
87906	T8/LED/U/17W/IS/40K	2200	17

- Full glass housing: no distortion, no yellowed, no embrittled, great stability
- Compatible with most electronic instant start, programmed start and emergency T8 ballast

Introducing our new
Product Catalog

CFL
CFL PL
Linear Fluorescent
LED
Incandescent
Halogen
HID
Specialty
Mini
Electrical



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

T8 Straight Tube | Bypass NO BALLAST REQUIRED

5
year warranty

120-277V | 50,000 HOURS | MEDIUM BI-PIN (G13) BASE | 10 PACK |

T8 | 48"



2' | 9W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	VOLTAGE
88033	T8/LED/9W/30K	720	9	120-220
88034	T8/LED/2'/9W/40K/DLC	1450	9	120-277
88035	T8/LED/2'/9W/50K/DLC	1450	9	120-277

4' | 15W

88162	T8/LED/4'/15W/DLC/30K	1800	15	
88163	T8/LED/4'/15W/DLC/40K	1800	15	
88164	T8/LED/4'/15W/DLC/50K	1800	15	

4' | 18W

88172	T8/LED/4'/18W/DLC/30K	2200	18	
88173	T8/LED/4'/18W/DLC/40K	2200	18	
88174	T8/LED/4'/18W/DLC/50K	2200	18	

4' | 18W

88007	T8/LED/18W/40K	1800	18	100-277
88041	T8/LED/18W/40K	1620	18	120-277

T8 TUBE



4' | 22W

88023	T8/LED/22W/35K	2200	22	100-277
--------------	----------------	------	----	---------

FT | PLL

2G11 BASE

MULTIVOLT | 50,000 HOURS | 2G11 BASE | 12 PACK |

PLUG-AND-PLAY

81054	FT/LED/18W/IS/40K	1600	18	
81057	FT/LED/23W/IS/30K	1600	23	
81058	FT/LED/23W/IS/35K	2800	23	
81059	FT/LED/23W/IS/40K	2800	23	

BYPASS

81055	FT/LED/23W/BP/40K	2300	23	
--------------	-------------------	------	----	--

Corn Cob

5
year warranty



High Wattage



100-277V | 40000 HOURS | MOGUL (E39) | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80487	CC/LED/36W/E39/MV/50K	3960	36
80493	CC/LED/45W/E39/MV/50K	4950	45
80495	CC/LED/54W/E39/MV/50K	6480	54
80584	CC/LED/75W/E39/MV/50K	8250	75

100-277V | 40000 HOURS | MOGUL (E39) | 9 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80587	CC/LED/100W/E39/MV/50K	11000	100
80588	CC/LED/120W/E39/MV/50K	13200	120
80589	CC/LED/150W/E39/MV/50K	16500	150

100-277V | 40000 HOURS | E26-E39 | 12 PACK |



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80559	CC/LED/16W/E26-E39/MV/50K	1760	16
80567	CC/LED/20W/E26-E39/MV/50K	2200	20
80568	CC/LED/24W/E26-E39/MV/50K	2640	24
80483	CC/LED/27W/E26-E39/MV/50K	2970	27



NEW

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80582	CC/LED/54W/E26-E39/MV/AMBER	4320	54



Amber



MKS
advanced LED™
MKSLED.COM

Wooden Cylinders Collection

PENDANT

indoor



5
year warranty

120V | 3000K | 35,000 HOURS | 1 PACK |



ITEM#
88726

DESCRIPTION
LFX/WC/PD/D/13W/C

LUMENS
600

WATTAGE
13



ITEM#
88724

DESCRIPTION
LFX/WC/PD/D/13W/S

LUMENS
600

WATTAGE
13

Decorative Fabric Drum

CEILING MOUNT

indoor



120V | 35,000 HOURS | 6 PACK |



ITEM#
49076

DESCRIPTION
LFX/FD/11.5"/15W/D/BN/30K

LUMENS
900

WATTAGE
15

ITEM#
49077

DESCRIPTION
LFX/FD/13.5"/20W/D/BN/30K

LUMENS
1200

WATTAGE
20

ITEM#
49078

DESCRIPTION
LFX/FD/15.5"/23W/D/BN/30K

LUMENS
1380

WATTAGE
23

ITEM#
49079

DESCRIPTION
LFX/FD/17.5"/30W/D/BN/30K

LUMENS
1680

WATTAGE
30

Decorative Wall Sconce

WALL MOUNT

indoor



120V | 35,000 HOURS | 6 PACK |

ITEM#
49023

DESCRIPTION
LFX/WS/5/12W/D/30K

LUMENS
600

WATTAGE
12

ITEM#
49024

DESCRIPTION
LFX/WS/6/15W/D/30K

LUMENS
900

WATTAGE
15

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Ceiling High-End Fixtures

indoor

5
year warranty

NEW



120V | BRUSHED NICKEL | 6 PACK |

DIA 12"



ITEM#
49094

DESCRIPTION

LFX/AM/GL/20W/BN/30K

LUMENS

1000

WATTAGE

20

NEW



120V | OIL RUBBED BRONZE | PACK |

DIA 13"



ITEM#
49098

DESCRIPTION

LFX/DCO13/GL/20W/ORB/30K

LUMENS

1000

WATTAGE

20

NEW



120V | BRUSHED NICKEL | PACK |

DIA 18"



ITEM#
49092

DESCRIPTION

LFX/DCO18/23W/BN/E/30K

LUMENS

1610

WATTAGE

23

NEW



120V | BRUSHED NICKEL | 6 PACK |

11" SQUARE



ITEM#
49096

DESCRIPTION

LFX/GL/20W/BN/30K

LUMENS

1000

WATTAGE

20

High Lumen | Oval Shape

NEW



120V | BRUSHED NICKEL | 1 PACK |

32" x 18" OVAL



ITEM#
49090

DESCRIPTION


LFX/DCO32/OV/BN/35W/E/30K

LUMENS

2600

WATTAGE

35



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Ceiling Lights

indoor

5
year warranty

BAND TRIM



PENDANT



HALF MOON



BAND TRIM



120V | BRUSHED NICKEL | ACRYLIC | 6 PACK |

12" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49030	LFX/DCO12/BN/E/D/30K	1050	15
49031	LFX/DCO12/BN/E/D/40K	1100	15

16" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49034	LFX/DCO16/BN/E/D/30K	1610	23
49035	LFX/DCO16/BN/E/D/40K	1700	23

18" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49029	LFX/DCO18/23W/SN/ES/D/30K	2000	23
49015	LFX/DCO18/23W/SN/ES/D/40K	2000	23

12" DIA | PENDANT

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49032	LFX/DCO12/BN/E/D/P/30K	1050	15

12" DIA | HALF MOON

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49070	LFX/HM/BN/E/D/30K	840	12
49071	LFX/HM/BN/E/D/40K	890	12

120V | POLISHED BRASS | WHITE LENS | 12 PACK |

12" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50334	LFX/DCO/12/17W/PB/ES/D/30K	1590	17
50335	LFX/DCO/12/17W/PB/ES/D/40K	1590	17
50336	LFX/DCO/12/17W/PB/ES/D/50K	1590	17

14" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50434	LFX/DCO/14/17W/PB/ES/D/30K	1590	17
50435	LFX/DCO/14/17W/PB/ES/D/40K	1590	17
50436	LFX/DCO/14/17W/PB/ES/D/50K	1590	17

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Ceiling Lights

indoor

BAND TRIM WITH EMERGENCY BACKUP



NEW

120V | BRUSHED NICKEL | ACRYLIC | 6 PACK |

Emergency Backup

12" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 45560	LFX/DCO12/BN/15W/30K/EM	1050	15
 45566	LFX/DCO12/BN/15W/40K/EM	1050	15

14" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 45561	LFX/DCO14/BN/20W/30K/EM	1600	20
 45567	LFX/DCO14/BN/20W/40K/EM	1600	20

16" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 45562	LFX/DCO16/BN/23W/30K/EM	2000	23
 45568	LFX/DCO16/BN/23W/40K/EM	2000	23

18" DIA | BAND TRIM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 45563	LFX/DCO18/BN/28W/30K/EM	2500	28
 45569	LFX/DCO18/BN/28W/40K/EM	2500	28

Foldable Desk Lamps

indoor



120V | 50,000 HOURS | 10 PACK |

WITH USB

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
 80660	DESK/LED/12W/D/SILVER/40K	500	12	4000K

WITH USB + DIMMABLE CCT SELECTION MODE

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
 80665	DESK/LED/12W/D/WHITE/TC	450	12	3000K-6000K
 80666	DESK/LED/12W/D/BLACK/TC	450	12	3000K-6000K

WITH CALENDAR

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
 80689	FOLDABLE LED/CALENDAR	108	1.8	5500K



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Vanity Lights

HALF CYLINDER

indoor



VANITY



120V | BRUSHED NICKEL | ALABASTER GLASS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	WIDTH, in	HEIGHT, in
 49075	LFX/HC/BN/E/30K	800	15	3.45	9.82
 49084	LFX/HC/BN/E/40K	1100	15	3.45	9.82

120V | 35,000 HOURS | ACRYLIC | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 49072	LFX/VF/24"/24W/BN/E/30K	1680	24
 49087	LFX/VF/24"/24W/BN/E/40K	1680	24
 49089	LFX/VF/36"/28W/BN/E/40K	1680	28
 49073	LFX/VF/36"/30W/BN/E/30K	2000	30
 49074	LFX/VF/48"/35W/BN/E/30K	2500	35
 49088	LFX/VF/48"/35W/BN/E/40K	2500	35

Ceiling Lights

Drum Style

indoor



120V | BRUSHED NICKEL | ACRYLIC | 6 PACK |

12" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE	HEIGHT, in
 49040	LFX/AM/15/BN/E/D/30K	1000	15	3.6
 49041	LFX/AM/15/BN/E/D/40K	1100	15	3

14" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE	HEIGHT, in
 49042	LFX/AM/23/BN/E/D/30K	1610	23	4.3
 49045	LFX/AM/23/BN/E/D/40K	1700	23	3

Ceiling Lights

Decorative Dome Style

indoor



120V | BRUSHED NICKEL | ALABASTER GLASS | 6 PACK |

13" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 49050	LFX/DBN13/AL/E/D/30K	1400	20

15" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 49058	LFX/DBN15/AL/E/D/30K	1610	23

120V | 35,000 HOURS | BRUSHED NICKEL | 6 PACK |

13" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 49054	LFX/DBN/13/20W/FR/D/30K	1200	20

15" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 49055	LFX/DBN/15/23W/FR/D/30K	1380	23

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Ceiling Lights

Mushroom Style

indoor



120V | 50,000 HOURS | RIBBED | 6 PACK |

11"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50294	LFX/AM/MU/11/17W/WH/FR/RIB/ES/D/30K	1600	17
50295	LFX/AM/MU/11/17W/WH/FR/RIB/ES/D/40K	1600	17
50296	LFX/AM/MU/11/17W/WH/FR/RIB/ES/D/50K	1600	17

14"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50589	LFX/AM/MU/14/17W/WH/FR/RIB/ES/D/30K	1600	17
50590	LFX/AM/MU/14/17W/WH/FR/RIB/ES/D/40K	1600	17
50591	LFX/AM/MU/14/17W/WH/FR/RIB/ES/D/50K	1600	17

120V | 50,000 HOURS | WHITE | 6 PACK |

11"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50314	LFX/AM/MU/11/17W/WH/WH/ES/D/30K	1600	17
50315	LFX/AM/MU/11/17W/WH/WH/ES/D/40K	1600	17
50316	LFX/AM/MU/11/17W/WH/WH/ES/D/50K	1600	17

14"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50584	LFX/AM/MU/14/17W/WH/WH/ES/D/30K	1600	17
50585	LFX/AM/MU/14/17W/WH/WH/ES/D/40K	1600	17
50586	LFX/AM/MU/14/17W/WH/WH/ES/D/50K	1600	17

120V | WHITE | ACRYLIC | 6 PACK |

12" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE	HEIGHT, in
49065	LFX/AM/15/M/E/D/30K	1050	15	3
49066	LFX/AM/15/M/E/D/40K	1100	15	3

14" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE	HEIGHT, in
49043	LFX/AM/20/M/E/D/30K	1400	20	3.5
49036	LFX/AM/20/M/E/D/40K	1450	20	3.5

16" DIA

ITEM#	DESCRIPTION	LUMENS	WATTAGE	HEIGHT, in
49044	LFX/AM/23/M/E/D/30K	1800	23	3.5
49037	LFX/AM/23/M/E/D/40K	1850	23	3.5

Ceiling Lights

Mushroom Style

indoor



6"

120V | WHITE | WHITE GLASS | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50144	LFX/MU/6/17W/WH/WH/ES/D/30K	1590	17
50145	LFX/MU/6/17W/WH/WH/ES/D/40K	1590	17
50146	LFX/MU/6/17W/WH/WH/ES/D/50K	1590	17



6"

120V | BRUSHED NICKEL | ALABASTER GLASS | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50194	LFX/MU/6/17W/BN/AL/ES/D/30K	1590	17
50195	LFX/MU/6/17W/BN/AL/ES/D/40K	1590	17
50196	LFX/MU/6/17W/BN/AL/ES/D/50K	1590	17



6"

120V | DUSTED BROWN | ALABASTER GLASS | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50184	LFX/MU/6/17W/DB/AL/ES/D/30K	1590	17
50185	LFX/MU/6/17W/DB/AL/ES/D/40K	1590	17
50186	LFX/MU/6/17W/DB/AL/ES/D/50K	1590	17



6"

120V | POLISHED BRASS | WHITE GLASS | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50179	LFX/MU/6/17W/PB/FR/ES/D/30K	1590	17
50180	LFX/MU/6/17W/PB/FR/ES/D/40K	1590	17
50183	LFX/MU/6/17W/PB/FR/ES/D/50K	1590	17



11"

120V | 50,000 HOURS | WHITE | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50181	LFX/AM/11/17W/WH/WH/ES/D/30K	1600	17
50182	LFX/AM/11/17W/WH/WH/ES/D/40K	1600	17
50187	LFX/AM/11/17W/WH/WH/ES/D/50K	1600	17



14"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
50191	LFX/AM/14/17W/WH/WH/ES/D/30K	1600	17
50192	LFX/AM/14/17W/WH/WH/ES/D/40K	1600	17
50193	LFX/AM/14/17W/WH/WH/ES/D/50K	1600	17

Ceiling Lights

Decorative Dome Style

indoor

120V | BRUSHED NICKEL | ALABASTER GLASS | 6 PACK |

12" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50379	LFX/DO/12/17W/BN/AL/ES/D/30K	1590	17
 50380	LFX/DO/12/17W/BN/AL/ES/D/40K	1590	17
 50381	LFX/DO/12/17W/BN/AL/ES/D/50K	1590	17

120V | BRUSHED NICKEL | ALABASTER GLASS | 6 PACK |

14" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50599	LFX/DO/14/17W/BN/AL/ES/D/30K	1590	17
 50600	LFX/DO/14/17W/BN/AL/ES/D/40K	1590	17
 50601	LFX/DO/14/17W/BN/AL/ES/D/50K	1590	17

11" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50529	LFX/DO/11/17W/BN/AL/ES/D/30K	1590	17
 50530	LFX/DO/11/17W/BN/AL/ES/D/40K	1590	17
 50531	LFX/DO/11/17W/BN/AL/ES/D/50K	1590	17

13" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50669	LFX/DO/13/17W/BN/AL/ES/D/30K	1590	17
 50670	LFX/DO/13/17W/BN/AL/ES/D/40K	1590	17
 50671	LFX/DO/13/17W/BN/AL/ES/D/50K	1590	17

120V | DISTRESSED BROWN | ALABASTER GLASS | 6 PACK |

11" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50574	LFX/DO/11/17W/DB/AL/ES/D/30K	1590	17
 50575	LFX/DO/11/17W/DB/AL/ES/D/40K	1590	17
 50576	LFX/DO/11/17W/DB/AL/ES/D/50K	1590	17

120V | DISTRESSED BROWN | TEA STAINED GLASS | 6 PACK |

11" DIA



ITEM#	DESCRIPTION	LUMENS	WATTAGE
 50499	LFX/DO/11/17W/DB/TS/ES/D/30K	1590	17
 50500	LFX/DO/11/17W/DB/TS/ES/D/40K	1590	17
 50501	LFX/DO/11/17W/DB/TS/ES/D/50K	1590	17

Designers Glass Collection

PENDANT

120V | 3000K | 35,000 HOURS | 6 FOOT PENDANT CORD | 6 PACK |



MANILA

ANTARCTICA

TOKYO



BRUSSELS

VENICE

SAHARA



JUNEAU

BUDAPEST

AMSTERDAM

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88700	LFX/DSG/PD/D/9W/MANILA	800	9
88702	LFX/DSG/PD/D/9W/ANTARCTICA	800	9
88706	LFX/DSG/PD/D/9W/TOKYO	800	9
88708	LFX/DSG/PD/D/9W/BRUSSELS	800	9
88710	LFX/DSG/PD/D/9W/VENICE	800	9
88704	LFX/DSG/PD/D/9W/SAHARA	800	9
88714	LFX/DSG/PD/D/9W/JUNEAU	800	9
88716	LFX/DSG/PD/D/9W/BUDAPEST	800	9
88718	LFX/DSG/PD/D/9W/AMSTERDAM	800	9



6 FOOT CORD, ASSEMBLY COMPONENTS & INSTRUCTION INCLUDED

Step Lights

WALL MOUNT

indoor

5

year warranty

120V | 50,000 HOURS | DIFFUSED LENS | 12 PACK |



ITEM#	DESCRIPTION	LUMENS	WATTAGE
89090	LFX/SL/V/3W/W/30K	120	3.5
89041	LFX/SL/H/3W/W/30K	120	3.5
89099	LFX/SL/V/3W/W/30K	72	3



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Under Cabinet

LINKABLE

indoor



Downlights

Retrofit

indoor



120V | 35,000 HOURS | FROSTED | 12 & 24 PACK |

12"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53071	LFX/UC/12/4W/30K	300	4
53080	LFX/UC/12/4W/40K	300	4

22"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53072	LFX/UC/22/8W/30K	600	8
53083	LFX/UC/22/8W/40K	600	8

34"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53073	LFX/UC/34/10W/30K	750	10
53086	LFX/UC/34/10W/40K	750	10

46"

ITEM#	DESCRIPTION	LUMENS	WATTAGE
53074	LFX/UC/46/14W/30K	1100	14
53089	LFX/UC/46/14W/40K	1050	14

120V | MEDIUM BASE | 50,000 HOURS | WHITE | 6 PACK |

4" ROUND

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89120	LFX/RDL/4R/11.5W/D/E/30K	700	11.5
89122	LFX/RDL/4R/11.5W/D/E/40K	700	11.5
89244	LFX/RDL/4R/10W/D/50K	800	10

5/6" ROUND

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89067	LFX/RDL/5/6R/18W/D/E/30K	1200	18
89125	LFX/RDL/5/6R/18W/D/E/40K	1200	18
89250	LFX/RDL/5/6R/15W/D/50K	1300	15

G24Q BASE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89272	LFX/RDL/G24Q/IS/5/6R/15W/27K	1000	15

100-277V | 50,000 HOURS | WHITE | 20 PACK |

4" SQUARE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89123	LFX/RDL/4S/9W/D/30K	630	9
89124	LFX/RDL/4S/9W/D/40K	680	9

5/6" SQUARE NEW UPDATED SIZE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89126	LFX/RDL/5S/15W/D/30K	1050	15
89127	LFX/RDL/5S/15W/D/40K	1130	15

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Hospital Bed Light

indoor
48.5"
NEW



ITEM#	DESCRIPTION	LUMENS	WATTAGE
49110	LFX/BL/22W-44W/40K	2000-4000	22/44

120V | 4000K | CLEAR WHITE |



HIGH/LOW
WATTAGE
CONTROL

5
year warranty

LED Shop Light

indoor
48"



ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04692	LFX/SHOP/48W/E/W	3200	48	4100K	4.5	1.9

MULTIVOLT | WHITE | 4 PACK |



HANGING CHAIN,
CORD AND PLUG
INCLUDED



Customize your fixture with LED Module

Now you can replace Medium/GU24 Base Sunlite® fixtures with AC Driverless LED Module.


89106-CMP | 17W 120V AC 1600 LUMENS 3000K

89107-CMP | 17W 120V AC 1600 LUMENS 4000K

89119-CMP | 17W 120V AC 1600 LUMENS 5000K

RETROFIT option available

- Connects directly to AC line voltage
- High Power Efficiency & Factor
- Long Life
- Simple BOM
- Miniaturization
- Lead Free Product
- RoHS Compliant
- 120V



Call your Sales Representative to discuss your project

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Commercial Troffer

DIRECT-INDIRECT TROFFER

120-277V | 50,000 HOURS | HIGH REFLECTANCE BACKED WHITE ACRYLIC MATTE PAINT FINISH | 1 PACK |

indoor

5
year warranty



2x2

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 85013	LFX/2X2/34W/DLC/AC/30K	3348	34
 85014	LFX/2X2/34W/DLC/AC/35K	3440	34
 85015	LFX/2X2/34W/DLC/AC/40K	3510	34
 85018	LFX/2X2/34W/DLC/AC/50K	3563	34

Emergency Backup

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 85150	LFX/2X2/34W/DLC/AC/30K/EM	3348	34
 85151	LFX/2X2/34W/DLC/AC/35K/EM	3440	34
 85152	LFX/2X2/34W/DLC/AC/40K/EM	3510	34
 85153	LFX/2X2/34W/DLC/AC/50K/EM	3563	34

2x4

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 85122	LFX/2X4/42W/DLC/AC/40K	4410	42
 85115	LFX/2X4/68W/DLC/AC/30K	6594	68
 85116	LFX/2X4/68W/DLC/AC/35K	6630	68
 85117	LFX/2X4/68W/DLC/AC/40K	6803	68
 85118	LFX/2X4/68W/DLC/AC/50K	7072	68

Emergency Backup

ITEM#	DESCRIPTION	LUMENS	WATTAGE
 85155	LFX/2X4/42W/DLC/AC/40K/EM	4410	42
 85156	LFX/2X4/68W/DLC/AC/30K/EM	6594	68
 85157	LFX/2X4/68W/DLC/AC/35K/EM	6630	68
 85158	LFX/2X4/68W/DLC/AC/40K/EM	6803	68
 85159	LFX/2X4/68W/DLC/AC/50K/EM	7072	68



EM



EM



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Commercial Strips


Economy Channel

indoor

ONE LIGHT



TWO LIGHT



MULTIVOLT | 4 PACK |

2' | 12W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04684	LFX/EC/2'/1/12W/E/W	900	12	4000K	1.78	1.55

4' | 24W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04685	LFX/EC/4'/1/24W/E/W	1800	24	4000K	1.79	1.56

MULTIVOLT | 4 PACK |

2' | 24W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04690	LFX/EC/2'/2/24W/E/W	1800	24	4000K	3.54	1.69

4' | 48W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04691	LFX/EC/4'/2/48W/E/W	3600	48	4000K	3.55	1.69

Emergency Backup

2' | 12W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04661	LFX/EC/2'/1/12W/E/40K/EM	900	12	4000K	1.78	1.55

4' | 24W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04662	LFX/EC/4'/1/24W/E/40K/EM	1800	24	4000K	1.79	1.56

2' | 24W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04663	LFX/EC/2'/2/24W/E/40K/EM	1800	24	4000K	3.54	1.69

4' | 48W

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
04664	LFX/EC/4'/2/48W/E/40K/EM	3600	48	4000K	3.55	1.69

Vapor Tight

indoor

CEILING MOUNT



MULTIVOLT | 30,000 HOURS | 1 PACK |

4 FT | FROSTED LENS

ITEM#	DESCRIPTION	LUMENS	WATTAGE
85294	LFX/VT/4FT/39W/30K/D	4100	39
85295	LFX/VT/4FT/39W/40K/D	4100	39

2 FT | CLEAR LENS

ITEM#	DESCRIPTION	LUMENS	WATTAGE
85296	LFX/VT/2FT/78W/30K/D	8200	78
85297	LFX/VT/2FT/78W/40K/D	8200	78



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Flat Panel

indoor

2x2
NEW



1x4
NEW



2x4
NEW



5
year warranty

100-277V | 50000 HOURS | 1 PACK |

2x2

ITEM#	DESCRIPTION	LUMENS	WATTAGE
85160	LFX/2X2/40W/DLC/30K/D/1-277/0-10V	4000	40
85088	LFX/2X2/40W/DLC/40K/D/1-277/0-10V	4000	40
85089	LFX/2X2/40W/DLC/50K/D/1-277/0-10V	4000	40
85161	LFX/2X2/40W/DLC/65K/D/1-277/0-10V	4000	40

1x4

ITEM#	DESCRIPTION	LUMENS	WATTAGE
85092	LFX/1X4/40W/DLC/40K/D/1-277/0-10V	4000	40

2x4

ITEM#	DESCRIPTION	LUMENS	WATTAGE
85164	LFX/2X4/60W/DLC/30K/D/1-277/0-10V	6000	60
85096	LFX/2X4/60W/DLC/40K/D/1-277/0-10V	6000	60
85097	LFX/2X4/60W/DLC/50K/D/1-277/0-10V	6000	60
85165	LFX/2X4/60W/65K/D/1-277/0-10V	6000	60
85028	LFX/2X4/72W/DLC/40K/1-277/0-10V	6150	72

EMERGENCY DRIVERS

EM



2X2	DESCRIPTION	WATTAGE
BSL310C-DF		10

EM



2X4	DESCRIPTION	WATTAGE
BSL722/OPT2		23

- For use in damp locations as well as sealed and gasketed fixtures
- Universal input (120 through 277 VAC, 50/60 Hz)

FLAT PANEL ACCESSORIES



2X2 ACCESSORIES

ITEM#	DESCRIPTION
85124	LFX/FLAT/2X2

2X4 ACCESSORIES

ITEM#	DESCRIPTION
85125	LFX/FLAT/2X4



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Polycarbonate Outdoor Fixtures

CUSTOMIZED SOLUTION | LED/ INCANDESCENT/ FLUORESCENT OPTIONS AVAILABLE | LEAD TIME REQUIRED
outdoor

- Molded of Durable Non-Corrosive UV Resistant Resins
- Acrylic Diffuser & Polycarbonate Base
- Post Models Fit Most 3 Inch Diameter Posts (Not Included)
- UL Listed For Wet Locations
- 120V
- Available in black and white coating; clear or frosted lens



RoHS
compliant

Orchid Style



Protek Style



Century Style



Nautical Style



Coach Style



Octagonal Style



Globe Style



Carriage Style



Eurostyle



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

LED-Ready Fixtures

All sizes available

ECONOMY CHANEL

indoor

- Snap-on components for easy assembly and maintenance
- Available in lengths from 18 to 96 inches
- Surface, stem or chain mountable
- Fixtures are wired for LED Bulbs (Bulbs not included). No Ballast included



Medium Bi-Pin (G13) Base Economy Chanel Standard

ITEM#	DESCRIPTION	Bulb Type
92188	EC-1-F17T8	1xT8
92118	EC-2-F17T8	2xT8
92030	EC-1-F32T8	1xT8
92034	EC-2-F32T8	2xT8
92199	EC-2-F96T8 *	2xT8

Economy Chanel Tandem

ITEM#	DESCRIPTION	Bulb Type
92186	ECT-2-F32T8	2xT8
92123	ECT-4-F32T8	4xT8

* Single Pin Base

VAPOR TIGHT | IP67

indoor

- Enclosed and gasketed housing will withstand most critical environments.
- Weather and chemical resistant, corrosion free, and impervious to vapors, dust, and moisture. For wet locations.
- Available in lengths of 4' or 8' (nominal)
- Surface, stem or chain mountable
- Fixtures are wired for LED Bulbs (Bulbs not included). No Ballast included



Medium Bi-Pin (G13) Base Vapor Tight Slim Standard

ITEM#	DESCRIPTION	Bulb Type
92733	VTS-2-F32T8	2xT8
92735	VTS-2-F96T8 *	2xT8

Vapor Tight Slim Tandem

ITEM#	DESCRIPTION	Bulb Type
92732	VTST-4-F32T8	4xT8

* Single Pin Base

BATHROOM BRACKET

indoor

- Wall or Ceiling mount
- Individual or continuous row mounting
- Clear acrylic wraparound diffuser
- Post chrome plated steel housing or white enamel finish
- Fixtures are wired for LED Bulbs (Bulbs not included). No Ballast included



Medium Bi-Pin (G13) Base Bathroom Bracket | White Body | Clear Lens

ITEM#	DESCRIPTION	Bulb Type
92875	BB213-WH-CL-2-F17T8	2xT8
92876	BB213-WH-CL-2-F32T8	2xT8

WRAP AROUND

indoor

- Clear acrylic diffuser with prismatic bottom and ribbed linear sides
- Diffuser self-aligns and hinges from either side for easy maintenance
- Available in lengths from 24 to 48 inches
- Standard two lamp configuration
- Single or continuous row mounting capability
- Surface, stem or chain mountable



Medium Bi-Pin (G13) Base Wrap Around 9"

ITEM#	DESCRIPTION	Bulb Type
92361	WA9-2-F32T8	2xT8

Wrap Around 15"

ITEM#	DESCRIPTION	Bulb Type
92443	WA15-4-F32T8	4xT8

Wrap Around 24"

ITEM#	DESCRIPTION	Bulb Type
92362	WA9-2-F17T8	2xT8

Wrap Around 48"

ITEM#	DESCRIPTION	Bulb Type
92442	WA11-2-F32T8	2xT8

Wrap Around 48" Tandem

ITEM#	DESCRIPTION	Bulb Type
92481	WAT11-4-F32T8	4xT8

ITEM#	DESCRIPTION	Bulb Type
92485	WA15T-8-F32T8	8xT8

All prices are based on the current cost of metal.

LED PORTABLE WORK LIGHT

HEAVY DUTY 04364-SU LFX/WL/30W/W

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Decorative Wall Lantern

LANTERN
outdoor



5
year warranty

120V | 35,000 HOURS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49025	LFX/DOD/L/6/12W/30K	600	12
49026	LFX/DOD/L/8/15W/30K	800	15

Tubular
outdoor



120V | 35,000 HOURS | 6 PACK |

UP&DOWN

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49028	LFX/DOD//T/4/12W/30K	800	12

DOWN OR UP

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49027	LFX/DOD/T/4/8W/30K	500	8

Arch Series | Indoor/Outdoor

WALL MOUNT
indoor
outdoor



120-277V | 50,000 HOURS | FROSTED GLASS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49016	LFX/DOD/AS/BN/WH/30K	1704	22



120V | 35,000 HOURS | ARCH FROSTED GLASS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
49017	LFX/WS/AR/14/9W/D/30K	500	9

Wall Mount Floodlights

DIE CAST ALUMINUM
outdoor



120V | 50,000 HOURS | POLYCARBONATE | 12 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89095	LFX/OPF/20W/30K	1050	20

MOTION SENSOR + PHOTO CONTROL

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89097	LFX/OPF/20W/MS/PC/30K	1050	20

ITEM#	DESCRIPTION	LUMENS	WATTAGE
89098	LFX/OPF/20W/MS/PC/50K	1050	20



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Tall Pack

PHOTO CONTROL
outdoor



5
year warranty

120V | 35,000 HOURS | POLYCARBONATE GLASS | 6 PACK |

PHOTO CONTROL

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88102	LFX/TP/15W/30K/PC	800	15
88103	LFX/TP/15W/50K/ES/PC	1000	15

Vandal-Proof

CEILING MOUNT
outdoor



120-277V | 50,000 HOURS | POLYCARBONATE LENS |

4 PACK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88121	LFX/SCM/43W/PC/50K	4700	43

2 PACK

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88126	LFX/MCM/87W/PC/50K	9500	87

Wall Packs

DOUBLE DIRECTIONAL
outdoor



120-277V | 30,000 HOURS | ACRYLIC LENS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
88135	LFX/S/UD/26W	1600	26	5000K
88130	LFX/R/UD/26W	1750	26	5000K

WALL MOUNT
outdoor



120-277V | 50,000 HOURS | POLYCARBONATE LENS | 2 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
97056	LFX/WP/42W/50K	4700	42
97058	LFX/WP/89W/50K	9650	89

WALL MOUNT
outdoor



120-277V | 50,000 HOURS | SHATTERPROOF GLASS REFRACTOR | 2 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
97060	LFX/WP/45W/MV/50K	4290	45
97061	LFX/WP/60W/MV/50K	4978	60
97062	LFX/WP/75W/MV/50K	7185	75
97065	LFX/WP/60W/MV/50K/CUTOFF	6000	60
97066	LFX/WP/75W/MV/50K/CUTOFF	7500	75
97080	PHOTO CONTROL SENSOR		

SLIM WALL PACK



100-277V | 50,000 HOURS | POLYCARBONATE LENS | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
49105	LFX/WP/30W/W	2500	30	5000K

ACCESSORIES

ITEM#	DESCRIPTION	ITEM#	DESCRIPTION
49108	BRACKET	49107	KNUCKLE

sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Floodlights

outdoor



9' CORD

3
year warranty




100-240V | 30,000 HOURS | CLEAR | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80165	LEDF/10W/W	900	10
80166	LEDF/20W/W	1800	20
80167	LEDF/30W/W	2700	30

RGB Floodlights

outdoor



100-240V | 30,000 HOURS | CLEAR | 6 PACK |

WITH REMOTE | HARD WIRE

ITEM#	DESCRIPTION	LUMENS	WATTAGE
80176	LFX/LED/20W/FL/RGB	1800	20

Roadway Light

outdoor



5
year warranty

PHOTO SENSOR

MULTIVOLT | GRAY | PHOTO SENSOR | 2 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN	WIDTH, in	HEIGHT, in
49100	LFX/RL/50W/PC/W	4200	50	5000K	2.2	4.41

Landscape Light

outdoor



120-277V | 50,000 HOURS | 1 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE
88155	LFX/OFL/12W/PC/50K	1000	12



Industrial Utility Shades

indoor



67" WIRE

ITEM#	DESCRIPTION	LUMENS	WATTAGE	WIDTH, in	HEIGHT, in
88108	LFX/CS/BL/E/D/30K	900	15	12.2	8.75
88107	LFX/CS/WH/E/D/30K	900	15	12.2	8.75



WITH WIRE GUARD

120V | INDOOR | 3 PACK |

High Bay

indoor

5
year warranty



ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
89900	MKS/HB/120V/105W/LED/30K	11,500	105	3000K
89901	MKS/HB/120V/105W/LED/40K	11,500	105	4000K
89902	MKS/HB/120V/105W/LED/50K	11,500	105	5000K

BOTTOM LENS INCLUDED

120V | 100,000 HOURS | ALUMINUM | POLYCARBONATE | 1 PACK |

Vapor Proof

CEILING & WALL MOUNT

indoor
outdoor



120-277V | 30,000 HOURS | FROSTED | 4 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
88146	LFX/VT/12W/50K	840	12	5000K
88140	LFX/VT/12W/50K	840	12	5000K

120-277V | 30,000 HOURS | FROSTED | 6 PACK |

ITEM#	DESCRIPTION	LUMENS	WATTAGE	KELVIN
88147	LFX/VT/PEN/12W/50K	710	12	5000K

Colored tempered glass
available

Tempered glass ensures safety around work place
and helps protect bulb integrity



sunlite

t. 800.605.BULB | 718.768.7000

sunlite.com

Bezel Lights™

12V | 50000 HOURS

10 MM | Strip Lights

16.5'



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80906	BZL/72W/12V/D/WW	220 lm/Foot	72
80900	BZL/72/12V/D/W	270lm/Foot	72
80907	BZL/72/12V/D/RGB	RGB	72

20 MM | Strip Lights

16.5'



ITEM#	DESCRIPTION	LUMENS	WATTAGE
80926	BZL/144W/12V/D/WW	440 lm/Foot	144
80925	BZL/144/12V/D/W	540 lm/Foot	144
80927	BZL/144/12V/D/RGB	RGB	144

10 MM | Strip Lights | Waterproof

16.5'



ITEM#	DESCRIPTION	WATTAGE
80908	BZL/WP/72W/12V/D/WW	72
80901	BZL/WP/72W/12V/D/W	72
80904	BZL/WP/72W/12V/D/RGB	72



Drivers INPUT 110/220V - OUTPUT 12V



ITEM#	DESCRIPTION	WATTAGE
80930	BZL/S100/12V	100
80931	BZL/S180/12V	180
80915	BZL/S250/12V	250
80913	BZL/S350/12V	350

Waterproof Drivers

ITEM#	DESCRIPTION	WATTAGE
80916	BZL/F100W/12V	100
80932	BZL/F200W/12V	100



Controllers 12V

10 MM | RGB Controller


ITEM#	DESCRIPTION	WATTAGE
80920	BZL/RGB/RC1	72

20 MM | RGB Controller

ITEM#	DESCRIPTION	WATTAGE
80921	BZL/RGB/RC2	144



Accessories



Double Ended



L-Shape



T-Shape

10 MM

ITEM#	DESCRIPTION
80958	BZL/BC/SW/10MM
80962	BZL/BC/DW/10MM

10 MM | RGB

ITEM#	DESCRIPTION
80960	BZL/BC/SW/10MM/RGB
80964	BZL/BC/DW/10MM/RGB

10mm Double Ended Connector | For 72W

ITEM#	DESCRIPTION
80954	BZL/BC/D/10MM
80956	BZL/BC/D/10MM/RGB

20mm Double Ended Connector

ITEM#	DESCRIPTION
80955	BZL/BC/D/20MM
80957	BZL/BC/D/20MM/RGB

20 MM

ITEM#	DESCRIPTION
80963	BZL/BC/DW/20MM
80959	BZL/BC/SW/20MM

20 MM | RGB

ITEM#	DESCRIPTION
80961	BZL/BC/SW/20MM/RGB
80965	BZL/BC/DW/20MM/RGB

L-Shape Connector | For 72W

ITEM#	DESCRIPTION
80950	BZL/BC/L/72W/10MM
80951	BZL/BC/L/72W/10MM/RGB

T-Shape Connector | For 72W




ITEM#	DESCRIPTION
80952	BZL/BC/T/72W/10MM
80953	BZL/BC/T/72W/10MM/RGB

Great News!

Sunlite.com website updated

Visit today and check out our new amazing features

- ✓ Place & manage orders
- ✓ See pricing & availability
- ✓ See & print document history
- ✓ See new item arrivals
- ✓ New category pages
- ✓ Improved product search
- ✓ Print Spec sheets
- ✓ Mobile friendly



Sign up at sunlite.com to enjoy new and easy to use features.
For technical support or feedback, please email us: portal@sunlite.com

sunlite

718.768.7000

Toll-Free **800.605.BULB**

sunlite.com

Return address:

sunlite

744 Clinton Street
Brooklyn, NY 11231

Presort STD
U.S. Postage
PAID
Permit No.1235
Brooklyn, NY

New York

744 Clinton Str.,
Brooklyn, NY 11231

t: 718.768.7000

f: 718.768.0970

Florida

3698 1/2 NW 16th Str., Bay C
Lauderhill, FL 33311

t: 954.316.6130

f: 954.316.6090

For product inquiries or to place an order, please contact us:

TOLL FREE PHONE: **800.605.BULB**

For general information: info@sunlite.com

Sales Department: sales@sunlite.com

To request a catalog: catalog@sunlite.com

 **Prices may change without notice. Please contact us for updates.**

The information contained in this catalog is to be used only as a guide to assist with product selection. Sunlite makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this catalog are subject to change without notice and Sunlite disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and Sunlite disclaims any and all liability for typographical, printing, or production errors or changes affecting the products, prices, and/or the specifications contained herein.

© 2016 Sunshine Lighting. All rights reserved. 744 Clinton Street, Brooklyn, NY.